

The logo for BEITALIA features a stylized white circuit board icon on the left, with the word "BEITALIA" in a bold, white, sans-serif font to its right. The background is a dark green with abstract white lines and dots.

BEITALIA

The text "AMMO LINK" is displayed in a large, bold, white, sans-serif font, centered at the bottom of the page. The background is a dark green with abstract white lines and dots.

AMMO
LINK

AMMO LINK





CONTENTS

03

METAL LINK

M9 FOR CAL. 12.7 x 99 mm
M13 FOR CAL. 7.62 x 51 mm

04

METAL LINK

M16 A2 FOR CAL. 40 x 53 mm
M27 A2 FOR CAL. 5.56 x 45 mm

05

METAL LINK

PK FOR CAL. 7.62 x 54 mm PK
FOR CAL. 7.62 x 54 mm

06

METAL LINK

KPVT FOR CAL. 14.5 x 114 mm
DShK FOR CAL. 12.7 x 108 mm

07

METAL LINK

M14A2 FOR CAL. 20 x 102 mm
M15A2 FOR CAL. 12.7 x 99 mm

08

METAL LINK

PK FOR CAL. 7.62 x 54 mm PK
FOR CAL. 7.62 x 54 mm

METAL LINK



METAL LINK

M9 FOR CAL. 12.7 x 99 mm

TECHNICAL DATA

Link Type	For Cal. 12.7 x 99 mm
Designation	Metal Link M9
Weapon	12.7 M2 HB / QCB / M3M
Weight	19 g
Surface Protection	Manganese phosphate coating and oil treatment

STANDARD PACKAGE

1.100 pcs in cardboard box packing could be done also according to customers request



M13 FOR CAL. 7.62 x 51 mm

TECHNICAL DATA

Link Type	For Cal. 7.62 x 51 mm
Designation	Metal Link M13
Weapon	M60 / FN MAG...
Weight	4.35 g
Surface Protection	Manganese phosphate coating and oil treatment

STANDARD PACKAGE

5.000 pcs in cardboard box packing could be done also according to customers request



METAL LINK

M16 A2 FOR CAL. 40 x 53 mm



TECHNICAL DATA

Link Type	For Cal. 40 x 53 mm
Designation	Metal Link M27
Weapon	MK19 / MK47 / CIS 40 GL / LAG 40 SB / H&K GMG
Weight	14,20 g
Surface Protection	Manganese phosphate coating and oil treatment

STANDARD PACKAGE

1.500 pcs in cardboard box packing could be done also according to customers request

M27 A2 FOR CAL. 5.56 x 45 mm



TECHNICAL DATA

Link Type	For Cal. 5.56 x 45 mm
Designation	Metal Link M27
Weapon	FN MINIMI / M249
Weight	2 g
Surface Protection	Manganese phosphate coating and oil treatment

STANDARD PACKAGE

10.000 pcs in cardboard box packing could be done also according to customers request

METAL LINK

PK FOR CAL. 7.62 x 54 mm PK

TECHNICAL DATA

Link Type	For Cal. 7.62 x 54 mm PK
Designation	Metal Link PK
Weapon	PK / PKT / PKS / M84
Weight	6 g
Surface Protection	Manganese phosphate coating and oil treatment

STANDARD PACKAGE

3.500 pcs in cardboard box packing could be done also according to customers request




FOR CAL. 7.62 x 54 mm

TECHNICAL DATA

Link Type	For Cal. 7.62 x 54 mm
Weight	2.8 g
Surface Protection	Manganese phosphate coating and oil treatment

STANDARD PACKAGE

7.500 pcs in cardboard box packing could be done also according to customers request



METAL LINK

KPVT FOR CAL. 14.5 x 114 mm




TECHNICAL DATA

Link Type	For Cal. 14.5 x 114 mm
Designation	Metal Link KPVT
Weapon	KPVT
Weight	35 g
Surface Protection	Manganese phosphate coating and oil treatment

STANDARD PACKAGE

600 pcs in cardboard box packing could be done also according to customers request

DShK FOR CAL. 12.7 x 108 mm



TECHNICAL DATA

Link Type	For Cal. 12.7 x 108 mm
Designation	Metal Link DShK
Weapon	TIP85 / DShK38 / NSV
Weight	21 g
Surface Protection	Manganese phosphate coating and oil treatment

STANDARD PACKAGE


1.000 pcs in cardboard box packing could be done also according to customers request

METAL LINK

M14A2 FOR CAL. 20 x 102 mm

TECHNICAL DATA

Link Type	For Cal. 20 x 102 mm
Designation	Metal Link M14A2
Weapon	VULCAN
Weight	93 g
Surface Protection	Manganese phosphate coating and oil treatment



STANDARD PACKAGE

250 pcs in cardboard box packing could be done also according to customers request

M15A2 FOR CAL. 12.7 x 99 mm

TECHNICAL DATA

Link Type	For Cal. 12.7 x 99 mm
Designation	Metal Link M15A2
Weapon	CIS50MG
Weight	23,5 g
Surface Protection	Manganese phosphate coating and oil treatment




STANDARD PACKAGE

900 pcs in cardboard box packing could be done also according to customers request

METAL LINK

FOR CAL. 30 X 173 mm



TECHNICAL DATA

Link Type	For Cal. 30 x 173 mm
Designation	Metal Ammo Link 30 x 173 NATO
Weapon	Bushmaster MK44
Weight	13,3 gr
Surface Protection	Manganese phosphate coating and oil treatment

STANDARD PACKAGE

According to customers request

FOR CAL. 30 X 165 mm



TECHNICAL DATA

Link Type	For Cal. 30 x 165 mm
Designation	Metal Ammo Link 30 x 165
Weapon	2A42, GTS-30, GSh-301
Weight	11,4 gr
Surface Protection	Manganese phosphate coating and oil treatment

STANDARD PACKAGE

According to customers request

AMMO LINK





Main Office
P.ta Risorgive, 21 - 36040 - Brendola (VI) Italy

Production
Via Piave 53, 19124 La Spezia (SP) Italy

T. +39 01871855180 | F. +39 01871858488

sales@beitalia.it

beitalia.it

AMMO

LINK